

Printing date 05.04.2024 Version number 2 (replaces version 1) Revision: 05.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Poly Lak SF-B

· Article number: 258

· UFI: 1075-N0VA-800G-WMH3

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

SU19 Building and construction work

· Process category PROC19 Manual activities involving hand contact

· Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article

ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor)

AC13 Plastic articles · Article category

· Application of the substance / the

mixture See our technical datasheet for application details of this product.

· 1.3 Details of the supplier of the safety data sheet

De lJssel Coatings BV, Centrumbaan 960, NL 2841 MH Moordrecht · Manufacturer/Supplier:

Tel: +31 182 372177, E-mail: info@de-ijssel-coatings.nl

· Further information obtainable

from: Research and Development.

· 1.4 Emergency telephone

number: De IJssel Coatings BV, Tel. +31 182 372177, E-mail: safety@de-ijssel-coatings.nl

Office hours: working days from 08:00 to 17:00 hrs.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 · Hazard pictograms

The product is classified and labelled according to the CLP regulation.

(!)

GHS07

· Signal word Warning

· Hazard-determining components of

labelling:

Reaction products of 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]

bisoxirane with maleic anhydride and methacrylic acid

tetramethylene dimethacrylate cobalt(II) 2-ethylhexanoate

· Hazard statements H317 May cause an allergic skin reaction.

· Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace. P272

Wear protective gloves. P280

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: This product does not contain any substances assessed as PBT at concentrations of

0.1% or higher.

· vPvB: This product does not contain any substances assessed as vPvB at concentrations of

0.1% or higher.

(Contd. on page 2)



Printing date 05.04.2024 Version number 2 (replaces version 1) Revision: 05.04.2024

Trade name: Poly Lak SF-B

 Determination of endocrinedisrupting properties (Contd. of page 1)

Toxicological information (1107/2009 - 3.6.5): The substance/mixture does not contain any components believed to have endocrine disrupting properties according to REACH article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at level 0.1% or higher.

Ecological information (1107/2009 - 3.8.2): The substance/mixture does not contain components believed to have endocrine-disrupting properties according to REACH article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at level 0.1% or higher.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
	Reaction products of 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)] bisoxirane with maleic anhydride and methacrylic acid Skin Sens. 1B, H317	10 – 50%	
CAS: 2082-81-7 EINECS: 218-218-1 Index number: 607-134-00-4	tetramethylene dimethacrylate Skin Sens. 1B, H317	0 – 10%	
CAS: 136-52-7 EINECS: 205-250-6 Reg.nr.: 01-21195-24678-29	cobalt(II) 2-ethylhexanoate Repr. 1A, H360Fd; Eye Irrit. 2, H319; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	0.1 – 0.5%	
CAS: 108-88-3 EINECS: 203-625-9 Index number: 601-021-00-3 Reg.nr.: 01-2119471310-51	toluene Flam. Liq. 2, H225; Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H336; Aquatic Chronic 3, H412	0.1 – 0.5%	
CAS: 3164-85-0 EINECS: 221-625-7 Reg.nr.: 01-2119980714-29	hexanoic acid, 2-ethyl-,potassium salt Repr. 2, H361; Eye Dam. 1, H318; Skin Irrit. 2, H315	0.1 – 0.5%	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.
· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from

the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

· Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official

regulations.

(Contd. on page 3)



Printing date 05.04.2024 Version number 2 (replaces version 1) Revision: 05.04.2024

Trade name: Poly Lak SF-B

(Contd. of page 2)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Not required.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,

sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

Ensure good ventilation/exhaustion at the workplace. handling

Not required.

Prevent formation of aerosols.

· Information about fire - and

explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store material in original, tightly closed containers in a cool, well-ventilated area in

accordance with applicable (local) regulations. Depending on total volume stored, the

storage area should comply with PGS15.

· Information about storage in one

common storage facility:

· Further information about storage conditions:

· Recommended storage

temperature: 5 - 30 \square

· 7.3 Specific end use(s) No further relevant information available.

None.

SECTION 8: Exposure controls/personal protection

· 8 1 Control parameters

o. i Contro	8.1 Control parameters					
· Ingredients	· Ingredients with limit values that require monitoring at the workplace:					
108-88-3 t	108-88-3 toluene					
Lo	IOELV Short-term value: 384 mg/m³, 100 ppm Long-term value: 192 mg/m³, 50 ppm Skin					
· DNEL (De	· DNEL (Derived No Effect Level) for workers					
	136-52-7 cobalt(II) 2-ethylhexanoate					
Inhalative	Long-term - local effects, worker	0.235 mg/m³ (Worker)				
108-88-3 t	108-88-3 toluene					
Dermal	Long-term - systemic effects, worker	384 mg/kg bw/day (Worker)				
Inhalative	Acute - systemic effects, worker	384 mg/m³ (Worker)				
	Acute - local effects, worker	384 mg/m³ (Worker)				
	Long-term - systemic effects, worker	192 mg/m³ (Worker)				
	Long-term - local effects, worker	192 mg/m³ (Worker)				
3164-85-0	3164-85-0 hexanoic acid, 2-ethyl-,potassium salt					
Dermal	Long-term - systemic effects, worker	5.95 mg/kg bw/day (Worker)				
Inhalative	Long-term - systemic effects, worker	41.98 mg/m³ (Worker)				
		(Contd. on page 4)				

(Contd. on page 4)



Printing date 05.04.2024 Version number 2 (replaces version 1) Revision: 05.04.2024

Trade name: Poly Lak SF-B

(Contd. of page 3) · DNEL (Derived No Effect Level) for the general population 136-52-7 cobalt(II) 2-ethylhexanoate Long-term - systemic effects, general population 0.0558 mg/kg bw/day (General population) Inhalative Long-term - local effects, general population 0.037 mg/m3 (General population) 108-88-3 toluene Oral Long-term - systemic effects, general population 8.13 mg/kg bw/day (General population) Dermal Long-term - systemic effects, general population 226 mg/kg bw/day (General population) Inhalative Acute - systemic effects, general population 226 mg/m³ (General population) Acute - local effects, general population 226 mg/m³ (General population) Long-term - systemic effects, general population 56.5 mg/m³ (General population) Long-term - local effects, general population 56.5 mg/m³ (General population) 3164-85-0 hexanoic acid, 2-ethyl-, potassium salt Oral Long-term - systemic effects, general population 2.98 mg/kg bw/day (General population) Long-term - systemic effects, general population 2.98 mg/kg bw/day (General population) Dermal Inhalative Long-term - systemic effects, general population 10.35 mg/m³ (General population) · PNEC (Predicted No Effect Concentration) values 136-52-7 cobalt(II) 2-ethylhexanoate 0.00149 mg/l (Freshwater) Aquatic compartment - freshwater Aquatic compartment - marine water 0.0069 mg/l (Marine water) ((Co)) Aquatic compartment - sediment in freshwater 27.8 mg/kg sed dw (Sediment freshwater) ((Co)) Aquatic compartment - sediment in marine water 17.8 mg/kg sed dw (Sediment marine water) 23.1 mg/kg dw (Soil) ((CoH)) Terrestrial compartment - soil Sewage treatment plant 1.08 mg/l (stp) ((Co)) 108-88-3 toluene Aquatic compartment - freshwater 0.68 mg/l (Freshwater) Aquatic compartment - marine water 0.68 mg/l (Marine water) Aquatic compartment - water, intermittent releases 0.68 mg/l (Sediment marine water) Aquatic compartment - sediment in freshwater 16.39 mg/kg sed dw (fwd) Terrestrial compartment - soil 2.89 mg/kg dw (Soil) 13.61 mg/l (stp) Sewage treatment plant 3164-85-0 hexanoic acid, 2-ethyl-, potassium salt Aquatic compartment - freshwater 0.36 mg/l (Freshwater) Aquatic compartment - marine water 0.036 mg/l (Marine water) Aquatic compartment - sediment in freshwater 6.37 mg/kg sed dw (Sediment freshwater) Aquatic compartment - sediment in marine water 0.637 mg/kg sed dw (Sediment marine water) Terrestrial compartment - soil 1.06 mg/kg dw (Soil)

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Sewage treatment plant

· Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic

measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

In case of brief exposure or low pollution use respiratory filter device. In case of · Respiratory protection:

71.7 mg/l (stp)

intensive or longer exposure use self-contained respiratory protective device.

· Hand protection Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/

the preparation. Due to missing tests no recommendation to the glove material can be given for the

product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of

diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on · Material of gloves further marks of quality and varies from manufacturer to manufacturer. As the product is

a preparation of several substances, the resistance of the glove material can not be

calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



Printing date 05.04.2024 Version number 2 (replaces version 1) Revision: 05.04.2024

Trade name: Poly Lak SF-B

(Contd. of page 4)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 \cdot As protection from splashes gloves made of the following materials are

suitable:

· Not suitable are gloves made of the following materials:

Nitrile rubber, NBR

Leather gloves Strong material gloves

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

02011011 0.1 Hydrodi and oneimour properato				
9.1 Information on basic physical and chemical properties				
· General Information				
· Physical state	Fluid			
· Colour:	According to product specification			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· Melting point/freezing point:	Undetermined.			
Boiling point or initial boiling point and boiling range	Undetermined.			
Flammability	Not applicable.			
· Lower and upper explosion limit	rtot approadio.			
· Lower:	Not determined.			
· Upper:	Not determined.			
· Flash point:	Not applicable.			
· Decomposition temperature:	Not determined.			
· pH	Not determined.			
· Viscosity:	Not determined.			
· Kinematic viscosity	Not determined.			
· Dynamic:	Not determined.			
Solubility	Not determined.			
· water:	Not miscible or difficult to mix.			
	Not determined.			
Partition coefficient n-octanol/water (log value)				
· Vapour pressure:	Not determined.			
Density and/or relative density	Net determed			
Delative density	Not determined.			
Relative density	Not determined.			
· Vapour density	Not determined.			
· 9.2 Other information				
· Appearance:				
Form:	Fluid			
· Important information on protection of health and				
environment, and on safety.				
· Ignition temperature:	Product is not selfigniting.			
· Explosive properties:	Product does not present an explosion hazard.			
· Solvent content:	· · ·			
· Organic solvents:	< 0.9 %			
· voc:				
· VOC (2004/42/EC):	< 0.95 %			
· Change in condition				
· Evaporation rate	Not determined.			
Information with regard to physical hazard classes				
Explosives	Void			
· Flammable gases	Void			
· Aerosols	Void			
Oxidising gases	Void			
· Gases under pressure	Void			
Flammable liquids	Void			
Flammable solids	Void			
Self-reactive substances and mixtures	Void			
· Pyrophoric liquids	Void			
· Pyrophoric solids	Void			
· Self-heating substances and mixtures	Void			

(Contd. on page 6)



Printing date 05.04.2024 Version number 2 (replaces version 1) Revision: 05.04.2024

Trade name: Poly Lak SF-B

(Contd. of page 5)

· Substances and mixtures, which emit fla	mmable gases in	
contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

10.4 Conditions to avoid
10.5 Incompatible materials:
No further relevant information available.
No further relevant information available.

· 10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

· Components	Туре	Value	Species	
108-88-3 toluene				
Oral LD50 5,00	00 mg/kg (Rat)			
Dermal LD50 12,	124 mg/kg (rabbit)			

Based on available data, the classification criteria are not met. · Skin corrosion/irritation · Serious eye damage/irritation Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation May cause an allergic skin reaction. Based on available data, the classification criteria are not met. · Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity · Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties			
556-67-2	octamethylcyclotetrasiloxane	List II; III	
128-37-0	Butylated hydroxytoluene	List II	
541-02-6	2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane	List II	
540-97-6	2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane	List II	

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

	· Type of test Effective concentration Method	Assessment
ſ	108-88-3 toluene	
	Inhalative LC50/4 h 5,320 mg/l (mouse)	

12.2 Persistence and

degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
No further relevant information available.
No further relevant information available.
No further relevant information available.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

(Contd. on page 7)



Printing date 05.04.2024 Version number 2 (replaces version 1) Revision: 05.04.2024

Trade name: Poly Lak SF-B

(Contd. of page 6)

12.6 Endocrine disrupting properties

__

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Additional ecological information:

· Additional ecological information. · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not allow product to reach

sewage system.

· European waste catalogue

HP13 | Sensitising

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR/RID/ADN, ADN, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances -

ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006

ANNEX XVII Conditions of restriction: 3, 48

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

108-88-3 toluene

(Contd. on page 8)



Printing date 05.04.2024 Version number 2 (replaces version 1) Revision: 05.04.2024

Trade name: Poly Lak SF-B

(Contd. of page 7)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

108-88-3 toluene 3

· National regulations:

· Technical instructions (air): Class Share in % NK 0.9

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H360Fd May damage fertility. Suspected of damaging the unborn child.

Suspected of damaging fertility or the unborn child. H361

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing SDS: Research and Development

· Contact: Saïda El Asjadi, tel: +31 182 372177, e-mail: safety@de-ijssel-coatings.nl

· Date of previous version: 05.04.2024

· Version number of previous

version:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement · Abbreviations and acronyms:

Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 1A: Reproductive toxicity – Category 1A Repr. 2: Reproductive toxicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Literature data and/or investigation reports are available through the manufacturer.

* Data compared to the previous

version altered.